


## SVS

T-stuk 45° - spuitstuk

Diameters 80 - 800

Rubberen afdichting



### Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l2 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	gewicht (kg)
5050001135	SVS 80 80	80	80	250	165	85	165	48	48	0,70
5050000998	SVS 100 80	100	80	241	171	70	180	48	48	0,80
5050000511	SVS 100 100	100	100	250	175	75	171	35	35	0,60
5050000999	SVS 125 80	125	80	250	200	50	200	48	48	0,90
5050000512	SVS 125 100	125	100	280	210	70	210	48	48	1,10
5050000513	SVS 125 125	125	125	280	204	76	201	35	35	0,90
5050001003	SVS 150 80	150	80	280	215	65	215	48	48	1,10
5050001000	SVS 150 100	150	100	305	225	80	225	48	48	1,30
5050001001	SVS 150 125	150	125	340	240	100	240	48	48	1,50
5050001002	SVS 150 150	150	150	315	235	80	265	35	35	1,20
5050001006	SVS 160 80	160	80	280	220	60	220	48	48	1,10
5050001004	SVS 160 100	160	100	305	230	75	230	48	48	1,30
5050000514	SVS 160 125	160	125	340	245	95	245	48	48	1,50
5050001005	SVS 160 150	160	150	380	270	110	270	48	48	1,80
5050000515	SVS 160 160	160	160	326	242	83	242	35	35	1,40
5050000516	SVS 180 80	180	80	280	235	55	235	48	48	1,20
5050001007	SVS 180 100	180	100	305	245	60	245	48	48	1,40
5050001008	SVS 180 125	180	125	340	260	80	260	48	48	1,60
5050001009	SVS 180 150	180	150	380	285	95	285	48	48	2,00
5050000517	SVS 180 160	180	160	390	290	100	290	48	48	2,10
5050001010	SVS 180 180	180	180	420	300	120	300	48	48	2,30
5050001013	SVS 200 80	200	80	280	250	30	250	48	48	1,30
5050000518	SVS 200 100	200	100	305	260	45	260	48	48	1,50
5050000519	SVS 200 125	200	125	340	270	70	270	48	48	1,80
5050001011	SVS 200 150	200	150	380	300	80	300	48	48	2,10
5050000520	SVS 200 160	200	160	390	305	85	305	48	48	2,20
5050001012	SVS 200 180	200	180	420	315	105	315	48	48	2,50
5050000521	SVS 200 200	200	200	383	290	93	290	48	48	1,90
5050001019	SVS 224 80	224	80	305	275	30	275	58	48	1,50
5050001014	SVS 224 100	224	100	305	275	30	275	58	48	1,70
5050001015	SVS 224 125	224	125	340	290	50	290	58	48	1,90
5050001016	SVS 224 150	224	150	380	315	65	315	58	48	2,30
5050000522	SVS 224 160	224	160	390	320	70	320	58	48	2,40
5050000523	SVS 224 180	224	180	420	330	90	330	58	48	2,70
5050001017	SVS 224 200	224	200	450	340	110	340	58	48	3,00
5050001018	SVS 224 224	224	224	480	350	130	350	58	58	3,20
5050001022	SVS 250 80	250	80	305	295	10	295	58	48	1,80
5050001020	SVS 250 100	250	100	305	295	10	295	58	48	2,10

## Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l2 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	gewicht (kg)
5050000524	SVS 250 125	<b>250</b>	125	340	310	30	310	58	48	2,30
5050000525	SVS 250 150	<b>250</b>	150	380	335	45	335	58	48	2,80
5050000526	SVS 250 160	<b>250</b>	160	390	340	50	340	58	48	2,80
5050001021	SVS 250 180	<b>250</b>	180	420	350	70	350	58	48	3,00
5050000527	SVS 250 200	<b>250</b>	200	450	360	90	360	58	48	3,40
5050000528	SVS 250 224	<b>250</b>	224	480	370	110	370	58	58	3,60
5050000529	SVS 250 250	<b>250</b>	250	454	202	152	350	58	58	2,80
5050001023	SVS 280 100	280	100	340	315	25	330	58	48	2,40
5050000530	SVS 280 125	280	125	370	330	40	330	58	48	2,70
5050001024	SVS 280 150	280	150	380	343	38	355	58	48	3,00
5050001025	SVS 280 160	280	160	390	345	45	360	58	48	3,10
5050001026	SVS 280 180	280	180	445	370	75	370	58	48	3,40
5050001027	SVS 280 200	280	200	475	380	95	380	58	48	3,80
5050001028	SVS 280 224	280	224	510	390	120	390	58	58	4,00
5050001029	SVS 280 250	280	250	545	405	140	405	58	58	4,50
5050001030	SVS 280 280	280	280	590	435	155	435	58	58	5,10
5050001032	SVS 300 100	300	100	370	350	20	350	58	48	2,80
5050001033	SVS 300 125	300	125	370	350	20	350	58	48	3,10
5050001034	SVS 300 150	300	150	380	358	23	370	58	48	3,60
5050001035	SVS 300 160	300	160	390	360	30	375	58	48	3,70
5050001036	SVS 300 180	300	180	445	385	60	385	58	48	4,00
5050001037	SVS 300 200	300	200	475	395	80	395	58	48	4,40
5050001038	SVS 300 224	300	224	510	405	105	405	58	58	4,70
5050001039	SVS 300 250	300	250	545	420	125	420	58	58	5,20
5050001040	SVS 300 280	300	280	590	450	140	450	58	58	5,90
5050001041	SVS 300 300	300	300	615	460	155	460	58	58	6,70
5050001043	SVS 315 100	<b>315</b>	100	280	260	20	343	58	48	3,50
5050001044	SVS 315 125	<b>315</b>	125	340	310	30	360	58	48	3,60
5050001045	SVS 315 150	<b>315</b>	150	380	348	32	380	58	48	4,00
5050000531	SVS 315 160	<b>315</b>	160	395	365	30	385	58	48	4,10
5050000532	SVS 315 180	<b>315</b>	180	445	390	55	395	58	48	4,40
5050000533	SVS 315 200	<b>315</b>	200	475	405	70	405	58	48	4,90
5050001046	SVS 315 224	<b>315</b>	224	510	415	95	415	58	58	5,20
5050000534	SVS 315 250	<b>315</b>	250	545	430	115	430	58	58	5,80
5050001047	SVS 315 280	<b>315</b>	280	590	460	130	460	58	58	6,50
5050001048	SVS 315 300	<b>315</b>	300	615	470	145	470	58	58	7,00
5050000535	SVS 315 315	<b>315</b>	315	640	480	160	480	58	58	7,30
5050001051	SVS 355 125	355	125	340	320	20	388	58	48	5,90
5050001052	SVS 355 150	355	150	380	360	20	410	58	48	4,40
5050001053	SVS 355 160	355	160	395	375	20	415	58	48	4,50
5050001054	SVS 355 180	355	180	445	425	20	425	58	48	4,80
5050000536	SVS 355 200	355	200	475	435	40	435	58	48	5,40
5050001055	SVS 355 224	355	224	510	445	65	445	58	58	5,60
5050000537	SVS 355 250	355	250	545	460	85	460	58	58	6,30
5050001056	SVS 355 280	355	280	590	490	100	490	58	58	7,10
5050001057	SVS 355 300	355	300	615	500	115	500	58	58	7,50
5050000538	SVS 355 315	355	315	640	505	145	505	58	58	7,80
5050001058	SVS 355 355	355	355	695	525	170	525	58	58	8,80
5050001060	SVS 400 125	<b>400</b>	125	340	320	20	420	58	48	6,10
5050001061	SVS 400 150	<b>400</b>	150	460	440	20	460	58	48	5,10

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.

## Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l2 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	gewicht (kg)
5050001062	SVS 400 160	400	160	395	375	20	445	58	48	5,30
5050001063	SVS 400 180	400	180	445	425	20	455	58	48	5,60
5050001064	SVS 400 200	400	200	475	455	20	465	58	48	6,20
5050001065	SVS 400 224	400	224	510	475	35	475	58	58	6,50
5050000539	SVS 400 250	400	250	545	490	55	490	58	58	7,10
5050001066	SVS 400 280	400	280	590	520	70	520	58	58	8,00
5050001067	SVS 400 300	400	300	615	530	85	530	58	58	8,50
5050001068	SVS 400 315	400	315	640	535	105	535	58	58	8,80
5050001069	SVS 400 355	400	355	695	555	140	555	58	58	9,80
5050001070	SVS 400 400	400	400	760	580	180	580	58	58	11,20
5050001073	SVS 450 150	450	150	445	425	20	435	58	48	5,50
5050001074	SVS 450 160	450	160	445	425	20	435	58	48	5,90
5050001075	SVS 450 180	450	180	445	425	20	490	58	48	6,30
5050001076	SVS 450 200	450	200	475	455	20	535	58	48	6,90
5050001077	SVS 450 224	450	224	510	485	25	510	58	58	7,20
5050001078	SVS 450 250	450	250	545	525	20	525	58	58	7,90
5050001079	SVS 450 280	450	280	590	555	35	555	58	58	8,70
5050001080	SVS 450 300	450	300	615	565	50	565	58	58	9,20
5050001081	SVS 450 315	450	315	640	570	70	570	58	58	9,60
5050001082	SVS 450 355	450	355	695	590	105	590	58	58	10,60
5050001083	SVS 450 400	450	400	760	615	145	615	58	58	12,10
5050001084	SVS 450 450	450	450	830	640	190	640	58	58	13,50
5050001088	SVS 500 160	500	160	590	560	30	560	54	48	6,80
5050001089	SVS 500 180	500	180	590	560	30	560	54	48	7,20
5050001090	SVS 500 200	500	200	475	445	30	535	54	48	7,50
5050001091	SVS 500 224	500	224	510	480	30	550	54	58	7,80
5050000540	SVS 500 250	500	250	545	415	30	560	54	58	8,60
5050001092	SVS 500 280	500	280	590	560	30	560	54	58	9,50
5050001093	SVS 500 300	500	300	615	600	15	600	54	58	10,00
5050001094	SVS 500 315	500	315	640	610	30	610	54	58	10,40
5050001095	SVS 500 355	500	355	695	630	65	630	54	58	11,50
5050000541	SVS 500 400	500	400	760	650	110	650	54	58	13,00
5050001096	SVS 500 450	500	450	830	675	155	675	54	58	14,50
5050001097	SVS 500 500	500	500	900	700	200	700	54	54	16,10
5050001102	SVS 560 224	560	224	510	490	20	590	54	58	9,20
5050001103	SVS 560 250	560	250	600	585	15	605	54	58	10,00
5050001104	SVS 560 280	560	280	640	620	20	630	54	58	10,80
5050001105	SVS 560 300	560	300	665	640	25	640	54	58	11,40
5050001106	SVS 560 315	560	315	690	650	40	650	54	58	11,80
5050001107	SVS 560 355	560	355	750	670	80	670	54	58	13,00
5050000542	SVS 560 400	560	400	810	690	120	690	54	58	14,50
5050001108	SVS 560 450	560	450	880	715	165	715	54	58	16,10
5050001109	SVS 560 500	560	500	950	740	210	740	54	54	17,80
5050001110	SVS 560 560	560	560	1040	800	240	800	54	54	20,40
5050001119	SVS 630 315	630	315	690	650	40	700	54	58	15,10
5050001120	SVS 630 355	630	355	750	720	30	720	54	58	16,80
5050001121	SVS 630 400	630	400	810	740	70	740	54	58	18,70
5050001122	SVS 630 450	630	450	880	765	115	765	54	58	20,60
5050001123	SVS 630 500	630	500	950	790	160	790	54	54	22,70
5050001124	SVS 630 560	630	560	1040	850	190	850	54	54	25,80

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.

## Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l2 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	gewicht (kg)
5050001125	SVS 630 630	<b>630</b>	630	1140	885	255	885	54	54	29,20
5050001127	SVS 710 315	710	315	670	472	198	555	54	58	17,01
5050001128	SVS 710 355	710	355	730	487	243	557	54	58	18,93
5050001129	SVS 710 400	710	400	790	525	265	559	54	58	21,07
5050001130	SVS 710 450	710	450	860	570	290	562	54	58	23,21
5050001131	SVS 710 500	710	500	930	615	315	564	54	54	25,58
5050001132	SVS 710 560	710	560	1020	675	345	567	54	54	29,07
5050001133	SVS 710 630	710	630	1120	740	380	571	54	54	32,90
5050001134	SVS 710 710	710	710	1230	810	420	575	54	54	37,21
5050001136	SVS 800 315	<b>800</b>	315	670	472	198	619	54	58	19,17
5050001137	SVS 800 355	<b>800</b>	355	730	487	243	621	54	58	21,33
5050001138	SVS 800 400	<b>800</b>	400	790	525	265	623	54	58	23,74
5050001139	SVS 800 450	<b>800</b>	450	860	570	290	626	54	58	26,15
5050001140	SVS 800 500	<b>800</b>	500	930	615	315	628	54	54	28,82
5050001141	SVS 800 560	<b>800</b>	560	1020	675	345	631	54	54	32,76
5050001142	SVS 800 630	<b>800</b>	630	1120	740	380	635	54	54	37,07
5050001143	SVS 800 710	<b>800</b>	710	1230	810	420	639	54	54	41,93
5050001144	SVS 800 800	<b>800</b>	800	1360	895	465	643	54	54	42,12

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.