



ST

T-stuk 90°

Diameters 80 - 800

Rubberen afdichting

Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	r	gewicht (kg)
5050000392	ST 80 80	80	80	168	84	70	35	35	8	0,34
5050000394	ST 100 80	100	80	168	84	70	35	35	9	0,41
5050000395	ST 100 100	100	100	168	84	76	35	35	9	0,44
5050000398	ST 125 80	125	80	168	84	94	35	35	8	0,49
5050000399	ST 125 100	125	100	168	84	82	35	35	11	0,51
5050000400	ST 125 125	125	125	188	94	82	35	35	10	0,56
5050000403	ST 150 80	150	80	172	86	106	35	35	9	0,58
5050000404	ST 150 100	150	100	168	84	102	35	35	10	0,59
5050000405	ST 150 125	150	125	218	109	93	35	35	14	0,70
5050000406	ST 150 150	150	150	218	109	106	35	35	14	0,75
5050000408	ST 160 80	160	80	168	84	110	35	35	9	0,61
5050000409	ST 160 100	160	100	168	84	107	35	35	11	0,63
5050000410	ST 160 125	160	125	210	105	100	35	35	13	0,73
5050000411	ST 160 150	160	150	312	156	112	35	35	14	0,98
5050000412	ST 160 160	160	160	228	114	109	35	35	14	0,82
5050000910	ST 180 80	180	80	172	86	136	43	43	0	0,73
5050000415	ST 180 100	180	100	216	108	147	43	43	20	0,87
5050000416	ST 180 125	180	125	210	105	110	35	35	11	0,79
5050000417	ST 180 150	180	150	260	130	110	35	35	16	0,95
5050000418	ST 180 160	180	160	288	144	155	43	43	25	1,10
5050000419	ST 180 180	180	180	244	122	128	35	35	12	0,97
5050000420	ST 200 80	200	80	140	70	112	35	35	9	0,67
5050000421	ST 200 100	200	100	210	105	110	35	35	13	0,87
5050000422	ST 200 125	200	125	210	105	118	35	35	10	0,88
5050000423	ST 200 150	200	150	308	154	120	35	35	16	1,15
5050000424	ST 200 160	200	160	224	112	128	35	35	12	0,96
5050000425	ST 200 180	200	180	287	143	125	35	35	22	1,30
5050000426	ST 200 200	200	200	268	134	126	35	35	8	1,15
5050000916	ST 224 80	224	80	176	88	160	53	43	15	0,95
5050000429	ST 224 100	224	100	202	101	163	53	43	15	1,05
5050000430	ST 224 125	224	125	217	109	158	53	43	15	1,10
5050000431	ST 224 150	224	150	280	140	180	53	43	25	1,35
5050000432	ST 224 160	224	160	286	143	177	53	43	25	1,35
5050000433	ST 224 180	224	180	310	155	180	53	43	20	1,45
5050000434	ST 224 200	224	200	356	178	192	53	43	20	1,65
5050000435	ST 224 224	224	224	342	171	171	53	53	22	1,60
5050000920	ST 250 80	250	80	172	86	171	53	43	15	1,05
5050000436	ST 250 100	250	100	175	87	135	45	35	11	1,00

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	r	gewicht (kg)
5050000437	ST 250 125	250	125	198	99	152	45	35	11	1,10
5050000438	ST 250 150	250	150	258	129	140	45	35	16	1,30
5050000439	ST 250 160	250	160	224	112	150	45	35	11	1,20
5050000440	ST 250 180	250	180	306	153	150	45	35	22	1,60
5050000441	ST 250 200	250	200	308	154	143	45	35	11	1,60
5050000917	ST 250 224	250	224	385	193	205	53	53	22	1,95
5050000442	ST 250 250	250	250	320	160	153	45	45	10	1,70
5050000921	ST 280 100	280	100	220	110	201	53	43	15	1,35
5050000444	ST 280 125	280	125	245	123	201	53	43	15	1,45
5050000445	ST 280 150	280	150	280	140	206	53	43	25	1,60
5050000922	ST 280 160	280	160	290	145	206	53	43	25	1,65
5050000923	ST 280 180	280	180	310	155	206	53	43	20	1,75
5050000446	ST 280 200	280	200	360	180	221	53	43	25	2,00
5050000447	ST 280 224	280	224	385	193	221	53	53	22	2,10
5050000448	ST 280 250	280	250	410	205	221	53	53	25	2,25
5050000449	ST 280 280	280	280	430	215	165	40	40	25	2,80
5050000927	ST 300 100	300	100	202	101	201	53	43	15	1,35
5050000928	ST 300 125	300	125	235	118	205	53	43	15	1,50
5050000929	ST 300 150	300	150	276	138	212	53	43	25	1,70
5050000930	ST 300 160	300	160	286	143	212	53	43	25	1,75
5050000931	ST 300 180	300	180	302	151	211	53	43	20	1,80
5050000450	ST 300 200	300	200	332	166	216	53	43	25	1,95
5050000932	ST 300 224	300	224	385	193	230	53	53	22	2,25
5050000451	ST 300 250	300	250	408	204	228	53	53	20	2,35
5050000452	ST 300 280	300	280	430	215	175	40	40	25	2,70
5050000453	ST 300 300	300	300	442	221	221	53	53	25	2,50
5050000454	ST 315 100	315	100	178	89	169	45	35	8	1,25
5050000455	ST 315 125	315	125	319	159	176	45	35	11	1,85
5050000456	ST 315 150	315	150	252	126	172	45	35	16	1,60
5050000457	ST 315 160	315	160	258	129	176	45	35	12	1,65
5050000458	ST 315 180	315	180	309	154	183	45	35	22	1,95
5050000459	ST 315 200	315	200	269	135	183	45	35	11	1,70
5050000933	ST 315 224	315	224	381	191	237	53	53	22	2,35
5050000460	ST 315 250	315	250	398	199	178	45	45	16	2,40
5050000461	ST 315 280	315	280	430	215	183	40	40	25	2,65
5050000934	ST 315 300	315	300	480	240	251	53	53	25	2,85
5050000462	ST 315 315	315	315	390	195	180	45	45	11	2,40
5050000935	ST 355 100	355	100	178	89	189	55	35	8	2,00
5050000466	ST 355 125	355	125	218	109	196	55	35	11	2,25
5050000936	ST 355 150	355	150	243	121	202	55	35	14	2,45
5050000467	ST 355 160	355	160	299	149	196	55	35	14	2,80
5050000937	ST 355 180	355	180	304	152	202	55	35	20	2,96
5050000468	ST 355 200	355	200	308	154	196	55	35	16	2,90
5050000938	ST 355 224	355	224	350	175	203	55	45	18	3,15
5050000469	ST 355 250	355	250	346	173	197	55	45	15	3,20
5050000939	ST 355 280	355	280	430	215	203	65	40	25	3,60
5050000470	ST 355 300	355	300	480	240	271	53	53	25	4,30
5050000471	ST 355 315	355	315	461	231	251	53	53	20	4,10
5050000472	ST 355 355	355	355	513	257	257	53	53	25	4,65
5050000475	ST 400 125	400	125	213	106	216	55	35	11	2,55

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.

Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	r	gewicht (kg)
5050000941	ST 400 150	400	150	266	133	225	55	35	14	2,50
5050000476	ST 400 160	400	160	266	133	218	55	35	14	2,90
5050000942	ST 400 180	400	180	302	151	230	55	35	15	3,10
5050000477	ST 400 200	400	200	344	172	218	55	35	16	3,50
5050000943	ST 400 224	400	224	338	169	222	55	45	15	3,50
5050000478	ST 400 250	400	250	400	200	219	55	45	15	4,00
5050000944	ST 400 280	400	280	410	205	260	65	40	20	4,30
5050000479	ST 400 300	400	300	476	238	287	53	53	20	4,70
5050000480	ST 400 315	400	315	481	241	283	53	53	25	4,75
5050000481	ST 400 355	400	355	500	250	275	65	65	25	5,25
5050000482	ST 400 400	400	400	598	299	299	53	53	30	5,90
5050000945	ST 450 150	450	150	266	133	250	55	35	14	3,30
5050000946	ST 450 160	450	160	274	137	243	55	35	14	3,35
5050000947	ST 450 180	450	180	280	140	255	55	35	15	3,30
5050000485	ST 450 200	450	200	308	154	245	55	35	15	3,65
5050000948	ST 450 224	450	224	350	175	247	55	45	15	4,00
5050000949	ST 450 250	450	250	437	218	241	55	45	18	4,70
5050000950	ST 450 280	450	280	410	205	285	65	40	20	4,80
5050000951	ST 450 300	450	300	452	226	301	53	53	20	4,90
5050000486	ST 450 315	450	315	491	246	312	53	53	25	5,30
5050000487	ST 450 355	450	355	500	250	300	65	65	30	5,75
5050000488	ST 450 400	450	400	596	298	322	53	53	30	6,50
5050000489	ST 450 450	450	450	638	319	319	53	53	30	6,80
5050000953	ST 500 160	500	160	264	132	270	55	35	16	3,60
5050000954	ST 500 180	500	180	310	155	316	53	43	20	4,10
5050000492	ST 500 200	500	200	303	151	270	55	35	15	4,00
5050000955	ST 500 224	500	224	324	162	272	55	45	15	4,20
5050000493	ST 500 250	500	250	386	193	266	55	45	18	4,75
5050000956	ST 500 280	500	280	460	230	341	53	53	20	5,60
5050000957	ST 500 300	500	300	478	239	338	53	53	25	5,80
5050000494	ST 500 315	500	315	491	246	337	53	53	25	5,90
5050000495	ST 500 355	500	355	551	276	348	53	53	25	6,60
5050000496	ST 500 400	500	400	596	298	347	53	53	30	7,10
5050000958	ST 500 450	500	450	650	325	351	53	53	30	7,60
5050000497	ST 500 500	500	500	702	351	351	53	53	30	8,20
5050000960	ST 560 160	560	160	380	190	390	53	43	20	5,40
5050000961	ST 560 180	560	180	400	200	390	53	43	20	5,60
5050000962	ST 560 200	560	200	360	180	361	53	43	20	5,10
5050000963	ST 560 224	560	224	385	193	361	53	53	25	5,40
5050000500	ST 560 250	560	250	410	205	361	53	53	25	5,60
5050000964	ST 560 280	560	280	460	230	371	53	53	25	6,20
5050000965	ST 560 300	560	300	478	239	368	53	53	25	6,40
5050000501	ST 560 315	560	315	495	248	371	53	53	25	6,60
5050000966	ST 560 355	560	355	555	278	381	53	53	25	7,40
5050000967	ST 560 400	560	400	600	300	381	53	53	25	7,90
5050000502	ST 560 450	560	450	650	325	380	53	53	25	8,40
5050000503	ST 560 500	560	500	710	355	386	53	53	25	9,10
5050000504	ST 560 560	560	560	780	390	390	53	53	25	9,90
5050000970	ST 630 200	630	200	358	179	339	55	35	23	5,70
5050000971	ST 630 224	630	224	380	190	337	55	45	15	5,90

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.

Leverbare afmetingen

artikelnummer	naam	d1 (mm)	d3 (mm)	l (mm)	l1 (mm)	l3 (mm)	lp1 (mm)	lp3 (mm)	r	gewicht (kg)
5050000972	ST 630 250	630	250	398	199	327	55	45	16	6,00
5050000973	ST 630 280	630	280	410	205	375	65	40	25	6,5
5050000974	ST 630 300	630	300	480	240	406	53	53	25	7,10
5050000506	ST 630 315	630	315	491	246	403	53	53	25	7,20
5050000975	ST 630 355	630	355	555	278	411	53	53	25	8,20
5050000507	ST 630 400	630	400	600	300	416	53	53	25	8,70
5050000976	ST 630 450	630	450	650	325	416	53	53	25	9,30
5050000977	ST 630 500	630	500	710	355	421	53	53	25	10,10
5050000978	ST 630 560	630	560	770	385	421	53	53	25	10,80
5050000979	ST 630 630	630	630	872	436	436	53	53	25	12,20
5050000981	ST 710 315	710	315	460	230	420	100	40	25	11,20
5050000982	ST 710 355	710	355	551	276	452	96	53	25	10,90
5050000983	ST 710 400	710	400	572	286	441	96	53	25	11,10
5050000984	ST 710 450	710	450	650	325	456	96	53	25	12,20
5050000509	ST 710 500	710	500	702	351	456	96	53	25	12,90
5050000985	ST 710 560	710	560	770	385	461	96	53	25	13,80
5050000986	ST 710 630	710	630	872	436	476	96	53	25	15,30
5050000987	ST 710 710	710	710	976	488	488	96	96	25	17,80
5050000990	ST 800 315	800	315	460	230	465	100	40	25	11,20
5050000991	ST 800 355	800	355	551	276	497	96	53	25	12,20
5050000992	ST 800 400	800	400	596	298	497	96	53	25	12,80
5050000993	ST 800 450	800	450	650	325	501	96	53	25	13,60
5050000510	ST 800 500	800	500	714	357	504	96	53	25	14,50
5050000994	ST 800 560	800	560	766	383	502	96	53	25	15,30
5050000995	ST 800 630	800	630	872	436	521	96	53	25	17,10
5050000996	ST 800 710	800	710	976	488	533	96	96	25	19,70
5050000997	ST 800 800	800	800	1092	546	546	96	96	25	21,70

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.